


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13E,16R)-  
(9CI)  
MF C26 H39 N O5 S

Absolute stereochemistry.  
Double bond geometry as shown.




NO

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadecane-2,6-dione, 4,8,13,14-tetrahydroxy-5,5,7,9-tetramethyl-  
16-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,16S)-  
(9CI)  
MF C26 H41 N O7 S

Absolute stereochemistry.  
Double bond geometry as shown.



ND

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclotetradec-11-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-14-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,11Z,14S)-  
(9CI)

MF C24 H35 N O5 S

Absolute stereochemistry.


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9,9-pentamethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8R,13E,16S)-  
(9CI)  
MF C27 H41 N O5 S

Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-[(2-methyl-4-thiazolyl)methylen]propyl]-, (4S,7R,8S,9S,13E,16S)-  
(9CI)

MF C27 H41 N O5 S

Absolute stereochemistry.


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-phenyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13Z,16S)-  
(9CI)  
MF C31 H41 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13Z,16S)- (9CI)  
MF C25 H37 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7S,8R,9S,13Z,16S)-  
(9CI)  
MF C26 H39 N O5 S

Absolute stereochemistry. Rotation (-).  
Double bond geometry as shown.






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7R,8S,9S,13E,16S)-  
(9CI)  
MF C26 H39 N O5 S


Absolute stereochemistry. Rotation (+).  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 13-(chloromethyl)-4,8-dihydroxy-5,5,7,9-tetramethyl-16-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13E,16S) - (9CI)  
MF C27 H40 Cl N O5 S


Absolute stereochemistry. Rotation (-).  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7R,8S,9S,13Z,16S)-  
(9CI)  
MF C26 H39 N O5 S

Absolute stereochemistry. Rotation (-).  
Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-oxazolyl)ethenyl]-, (4S,7R,8S,9S,13Z,16S)-  
(9CI)

MF C26 H39 N O6


Absolute stereochemistry. Rotation (-).  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7S,8R,9S,13E,16R)-  
(9CI)  
MF C26 H39 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7-trimethyl-16-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,13Z,16S)- (9CI)  
MF C25 H37 N O5 S

Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13Z,16R)-  
(9CI)

MF C26 H39 N O5 S

Absolute stereochemistry.


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7S,8R,9R,13E,16S)-  
(9CI)  
MF C26 H39 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.





L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-13-ethynyl-5,5,7,9-tetramethyl-16-[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7R,8S,9S,13E,16S) - (9CI)  
MF C40 H67 N O5 S Si2

Absolute stereochemistry. Rotation (-).  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9,9-pentamethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7S,8S,13Z,16S)-  
(9CI)

MF C27 H41 N O5 S

Absolute stereochemistry.


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7S,8R,9S,13Z,16S)-  
(9CI)  
MF C26 H39 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9,9-pentamethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4R,7R,8R,13Z,16S)-  
(9CI)  
MF C27 H41 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9,9-pentamethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7S,8S,13E,16S)-  
(9CI)  
MF C27 H41 N O5 S

Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN Oxacyclohexadec-13-ene-2,6-dione, 16-[(1E)-2-(2-ethyl-4-thiazolyl)-1-methylethenyl]-4,8-dihydroxy-5,5,7,9-tetramethyl-, (4S,7R,8S,9S,13E,16S)-(9CI)

MF C27 H41 N O5 S

Absolute stereochemistry.


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9,9-pentamethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7S,8S,13Z,16S)-  
(9CI)  
MF C27 H41 N O5 S


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 4,8-dihydroxy-5,5,7,9-tetramethyl-16-  
[(1E)-1-methyl-2-(2-methyl-4-thiazolyl)ethenyl]-, (4S,7S,8R,9R,13Z,16S)-  
(9CI)  
MF C26 H39 N O5 S

Absolute stereochemistry.  
Double bond geometry as shown.






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 16-[(1E)-2-[2-(dimethylamino)-4-thiazolyl]-1-methylethenyl]-4,8-dihydroxy-5,5,7,9-tetramethyl-,  
(4S,7R,8S,9S,13E,16S) - (9CI)  
MF C27 H42 N2 O5 S


Absolute stereochemistry.  
Double bond geometry as shown.





\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 447 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Oxacyclohexadec-13-ene-2,6-dione, 16-[(1E)-2-[2-(dimethylamino)-4-thiazolyl]-1-methylethenyl]-4,8-dihydroxy-5,5,7,9-tetramethyl-,  
(4S,7R,8S,9S,13Z,16S) - (9CI)  
MF C27 H42 N2 O5 S

Absolute stereochemistry.  
Double bond geometry as shown.





chain nodes :

12 13 14 15 22 27 29 30 31 32 34

ring nodes :

1 2 3 5 6 7 8 9 11 16 17 18 19 20 21

chain bonds :

1-12 5-14 6-15 7-22 8-27 11-13 15-18 16-30 17-29 19-34 20-32 21-31

ring bonds :

1-2 1-11 2-3 3-5 5-6 6-7 7-8 8-9 9-11 16-17 16-21 17-18 18-19 19-20 20-21

exact/norm bonds :

1-2 1-11 1-12 2-3 3-5 5-6 5-14 6-7 6-15 7-8 7-22 8-9 8-27 9-11 11-13 15-18  
16-30 17-29 19-34 20-32 21-31

normalized bonds :

16-17 16-21 17-18 18-19 19-20 20-21

isolated ring systems :

containing 1 : 16 :

G1:O,S

G2:CH3,Et,H

G3:H,CH3

Match level :

1:Atom 2:Atom 3:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:CLASS 11:Atom 12:CLASS  
13:Atom 14:Atom 15:CLASS 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom  
27:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 34:CLASS